IN THE DRAWINGS

The drawings filed on June 6, 2000 stand objected to by the Examiner as failing to comply with 37 C.F.R. § 1.84(p)(5) because they include reference signs not mentioned in the description: 52, 56 (Figure 1); 310e-n, 310q, 312a-q (Figure 4); 226a, 228a (Figure 6A); 228b, and 228n (Figure 5B).

The drawings filed on June 6, 2000 stand objected to by the Examiner as failing to comply with 37 C.F.R. § 1.84(p)(5) because they do not include the following reference signs mentioned in the description: 220a and 220n (page 22, line 6, and all subsequent references to 220a and 220n regarding Figure 6A); and 222a and 222b (page 34, lines 11 and 19, and all subsequent references to 222a and 222b regarding Figures 6B-D).

The drawings are objected to because:

Referring to Figure 5, 210a should be corrected to 220a.

Referring to Figure 6A, 200A should be corrected to 200a; and 229 should be corrected to 229a.

Referring to Figure 6B, 200B should be corrected to 200b.


Referring to Figure 6C, 200C should be corrected to 200c.

Referring to Figure 6D, 200D should be corrected to 200d.

Referring to Figure 6E, 200E should be corrected to 200e.

In accordance with the Response pursuant to 35 C.F.R. § 1.111 filed herewith, Applicants respectfully request approval to amended Sheets 3-6 of the drawings as follows:

Replace Sheets 3-6 of the drawings originally filed with the Application with the Replacement Sheets 3-6. Replacement Sheets 3-6 contain amended FIGURES 4 and 6A, 5, 6B and 6C, and 6D and 6E, respectively. It is submitted that no new matter is added by the amendments.






FIG. 3B 220



| | 310 | 312 | 300 |
|------------------------------|--------|-----------------|---------------------------|
| 310a 310b 310c 310d | | | |
| | - 0000 | MPLS LABEL | |
| | - 0001 | MULTICAST LABEL | |
| | - 0010 | CORE MOTHERFACI | E LABEL WITH SOURCE INFO |
| | - 0011 | CORE INTERFACE | LABEL WITHOUT SOURCE INFO |
| | 0100 | RESERVED | |
| | 0101 | RESERVED | |
| | 0110 | H/W | |
| | 0111 | RESERVED | |
| | 1000 | RESERVED | |
| | 1001 | RESERVED | |
| 310p~ | 1010 | RESERVED | |
| | 1011 | RESERVED | |
| | 1100 | RESERVED | |
| | 1101 | RESERVED | |
| | - 1110 | CORE NODE ID LA | BEL |
| • | 1111 | RESERVED | |

FIG. 4






FIG. 6A



230



200c 224a **PADDING** 222a PACKET LENGTH **HEC LENGTH** 224b CORE NODE ID n -220a 1110 111 0 TIL 220b 224c CORE NODE ID e **CONG** 111 0 000 1110 220 CORE NODE ID d 1110 111 0 -220c 222b CORE INTERFACE ID n 1 0010 111 -220n PPP PROTOCOL 224n PACKET DATA PACKET DATA **PADDING** PACKET CRC-32

FIG. 6C






FIG. 6D

200e 224a **PADDING** PACKET LENGTH HEC **LENGTH** 224b CORE NODE ID d ~220a 1110 111 0 TIL -220b 220 224n MPLS LABEL 0000 CONG 000 111 0 CORE INTERFACE ID e 0010 1 111 - 220n PPP PROTOCOL PACKET DATA PACKET DATA **PADDING** PACKET CRC-32

FIG. 6E

